










Article no.	Designation	Length L [mm (inch)]		Stroke [mm (inch)]		Moving mass [g (lb)]		Total weight [g (lb)]	
0150-4013	DM01-37x120F-HP-R-95	323	(12.72)	95	(3.74)	1740	(3.83)	3700	(8.16)
0150-4627	DM01-37x120F-HP-R-95__BE03								
0150-24013	DM01-37x120F-HP-R-95-2S								
0150-24627	DM01-37x120F-HP-R-95__BE03-2S								
0150-4617	DM01-37x120F-HP-R-135	363	(14.29)	135	(5.31)	1860	(4.10)	3840	(8.47)
0150-4014	DM01-37x120F-HP-R-195	423	(16.65)	195	(7.68)	2192	(4.83)	4172	(9.20)
0150-4429	DM01-37x120F-HP-R-195__BE03								
0150-24014	DM01-37x120F-HP-R-195-2S								
0150-24429	DM01-37x120F-HP-R-195__BE03-2S								
0150-4015	DM01-37x120F-HP-R-295	523	(20.59)	295	(11.62)	2678	(5.90)	4658	(10.27)
0150-4375	DM01-37x120F-HP-R-295__BE03								
0150-24015	DM01-37x120F-HP-R-295-2S								
0150-24375	DM01-37x120F-HP-R-295__BE03-2S								
0150-4016	DM01-37x120F-HP-R-395	623	(24.53)	395	(15.55)	3163	(6.97)	5144	(11.34)
0150-4430	DM01-37x120F-HP-R-395__BE03								
0150-24016	DM01-37x120F-HP-R-395-2S								
0150-24430	DM01-37x120F-HP-R-395__BE03-2S								
0150-4017	DM01-37x120F-HP-R-495	723	(28.46)	495	(19.49)	3649	(8.04)	5630	(12.41)
0150-4628	DM01-37x120F-HP-R-495__BE03								
0150-24017	DM01-37x120F-HP-R-495-2S								
0150-24628	DM01-37x120F-HP-R-495__BE03-2S								







Rev.	Change	Date	Author	Appr.
A	Document created	05.11.2026	sm	jb

General tolerance DIN ISO 2768 - mK	Created by NTI AG	Status 04.11.2026/sm	Material
LinMot®	File name 0184-0005__DM01-37x120F-HP-R-XXX (__BE03) (-2S)		Weight (g)
NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach	Title, additional title DM01-37x120H-R-XXX (__BE03) (-2S) Technical Drawing DM01-37x120 (__BE03) (-2S)		Document type Assembly drawing
			Drawing number / Index 0184-0005 A
Template type: SW2026 Version: V1.1 NTI_EN__A2__Q__Horizontal__Sheet__format__V1.1	Art.No.: See table	Scale 1:1	Sheet 1 / 3 A2

The copyright to this document, which is personally entrusted to the recipient, remains with our company. Without our written permission, the document may not be copied nor reproduced nor communicated or made accessible to third parties without our written permission.





LABEL	Z-POS.	Y-POS.	SIZE
A1	-11.5	5	4.5 X 5.5 ↧ 10 ⌴ 8 X 9 ↧ 4.4
A2	-11.5	75	
A3	11.5	5	
A4	11.5	75	
B1	-17.5	10	M6 ↧ 10
B2	-17.5	45	
B3	-17.5	80	
B4	17.5	10	
B5	17.5	45	
B6	17.5	80	
C1	-16	19	⌀ 6.4 ↧ 10 ⌴ ⌀ 10.5 ↧ 6.4
C2	-16	59	
C3	16	19	
C4	16	59	
D1	-8.5	42	+0.012 ⌀ 4 H7 0 ↧ 5
D2	0	24.15	
D3	0	31	
D4	8.5	42	
E1	-8.5	36	⌀ 4.5 ↧ 10 ⌴ ⌀ 8 ↧ 4.4
E2	-8.5	66	
E3	8.5	36	
E4	8.5	66	
F1	-16	39	+0.012 ⌀ 5 H7 0 ↧ 8
F2	16	39	
G1	0	72.58	+0.012 4 H7 0 X 7.15 ↧ 5

LABEL	Z-POS.	Y-POS.	SIZE
H1	-11.5	5	4.3 X 5.3 ↧ 10 ⌴ 8 ↧ 4.4
H2	-11.5	75	
H3	11.5	5	
H4	11.5	75	
J1	-17.5	10	M6 ↧ 10
J2	-17.5	45	
J3	-17.5	80	
J4	17.5	10	
J5	17.5	45	
J6	17.5	80	
K1	-16	19	⌀ 6.4 ↧ 10 ⌴ ⌀ 10.5 ↧ 6.4
K2	-16	59	
K3	16	19	
K4	16	59	
L1	-8.5	42	+0.012 ⌀ 4 H7 0 ↧ 5
L2	0	24.15	
L3	0	31	
L4	8.5	42	
M1	-8.5	36	⌀ 4.5 ↧ 10 ⌴ ⌀ 8 ↧ 4.4
M2	-8.5	66	
M3	8.5	36	
M4	8.5	66	
N1	-16	39	+0.012 ⌀ 5 H7 0 ↧ 8
N2	16	39	
P1	0	72.58	+0.012 4 H7 0 X 7.15 ↧ 5


For dowel pin holes

⌖	⌀0.1	A	B	C


Rev.	Change	Date	Author	Appr.
A	Document created	05.11.2026	sm	jb

General tolerance DIN ISO 2768 - mK	Created by NTI AG	Status 04.11.2026/sm	Material
LinMot®	File name 0184-0005_DM01-37x120F-HP-R-XXX (_BE03) (-2S)		Weight (g)
NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach	Title, additional title DM01-37x120H-R-XXX (_BE03) (-2S) Technical Drawing DM01-37x120 (_BE03) (-2S)		Document type Assembly drawing Drawing number / Index 0184-0005 A
Template type: SW2026 Version: V1.1 NTI_EN_A2_0_Horizontal_Sheet_format_V1.1	Art.No.: See table	Scale 2:1	Sheet 2 / 3 A2

The copyright to this document, which is personally entrusted to the recipient, remains with our company. Without our written permission, the document may not be copied nor reproduced nor communicated or made accessible to third parties without our written permission.



LABEL	X-POS.	Z-POS.	SIZE
R1	109	-18	$\varnothing$ 5 H7 $^{+0.012}_{0}$ ↧ 6.25
R2	149	-18	
T1	23	-16	M6 ↧ 8
T2	23	16	
T3	63	-16	
T4	63	16	
T5	103	-16	
T6	103	16	
T7	143	-16	
T8	143	16	
T9	183	-16	
T10	183	16	
U1	43	-16	$\varnothing$ 5 H7 $^{+0.012}_{0}$ ↧ 10
U2	43	16	
U3	163	-16	
U4	163	16	



LABEL	X-POS.	Y-POS.	SIZE
V1	33	4.5	M6 ↧ 8
V2	33	34.5	
V3	73	4.5	
V4	73	34.5	
V5	113	4.5	
V6	113	34.5	
V7	153	4.5	
V8	153	34.5	
V9	193	4.5	
V10	193	34.5	
W1	16	4.5	M4 ↧ 8
W2	16	76	
W3	51	76.5	
W4	87.5	4.5	
W5	87.5	76	
Y1	31	11	M4 ↧ 5.5
Y2	46	15	
Y3	46	37	
Y4	121	11	
Y5	136	15	
Y6	136	37	
AA1	31	41	M4 ↧ 4
AA2	121	41	

For dowel pin holes

⌖ | $\varnothing$0.1 | D | E | F

Rev.	Change	Date	Author	Appr.
A	Document created	05.11.2026	sm	jb

General tolerance DIN ISO 2768 - mK	Created by NTI AG	Status 04.11.2026/sm	Material
LinMot®	File name 0184-0005_DM01-37x120F-HP-R-XXX (_BE03) (-2S)		Weight (g)
NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach	Title, additional title DM01-37x120H-R-XXX (_BE03) (-2S) Technical Drawing DM01-37x120 (_BE03) (-2S)		Document type Assembly drawing Drawing number / Index 0184-0005 A
Template type: SW2026 Version: V1.1 NTI_EN_A2_Q_Horizontal_Sheet_format_V1.1	Art.No.: See table	Scale 1:1	Sheet 3 / 3 A2

The copyright to this document, which is personally entrusted to the recipient, remains with our company. Without our written permission, the document may not be copied nor reproduced nor communicated or made accessible to third parties without our written permission.