






A	Document created	07.05.2025	JB	DG
Rev.	Change	Date	Author	Appr.

General tolerance DIN ISO 2768 - mK	Created by J.-E. Beekhuis	Status 07.05.2025/jb	Material	Scale 1:2	Sheet 1 / 3	Assembly drawing 0380-0018A	Weight (g)	A2
LinMot®	File name 0380-0018_PP13_120-37Sx120_100-37Sx60-BE20-MS02_MT12			☐ Safety Rel. ☐ UL-Rel.				
NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach	Title, additional title PP13_120-37Sx120_ 100-37Sx60-BE20-MS02_MT12 Pick&Place / SM01-37Sx120 & SM01-37Sx60 Art.No.: 0300-1001			Document type Assembly drawing Drawing number / Index 0380-0018A				
Template type: SW2020 Version: V1-1 SW_A2_hori_Sheet_format_V1-1								


The copyright to this document, which is personally entrusted to the recipient, remains with our company. Without our written permission, the document may not be copied nor reproduced nor communicated or made accessible to third parties without our written permission.





Stage type	PP13_120-37Sx120_100-37Sx60-BE20-MS02_MT12	
Motor type	Horizontal: 0150-4402 SM01-37Sx120F-HP-R-120__SSCP	Vertical: 0150-6740 SM01-37Sx60-XP-R-100_BE20_MS04__SSCP
Stroke	120	100
Max. Force@48VDC [N]	255	128
Max. Force@72VDC [N]	255	128
Position resolution [mm]	0.005	0.005
Repeatability [mm]	±0.05	±0.05
Max. acceleration [m/s2]	< 15	< 15
Max. Velocity@48VDC [m/s]	1.5	1.5
Max. Velocity@72VDC [m/s]	2	2
Deviation	see installation guide	see installation guide
Moving mass [kg]	1.997	1.534
Module mass [kg]	4.142	4.228
Pillar mass [kg]	6.472	
Cable weight [kg/km]	83.0	
Cable tube weight [kg/m]	-	
Max. payload	see installation guide	see installation guide
Grease type - Motor	0150-1954 / 0150-1955 LU02	
Grease type - Bearing	0150-1954 / 0150-1955 LU02	
Grease type - MagSpring	0150-1954 / 0150-1955 LU02	

Accessories		
Stage type	PP13_120-37Sx120_100-37Sx60-BE20-MS02_MT12	
Motor type	Horizontal: 0150-4402 SM01-37Sx120F-HP-R-120__SSCP	Vertical: 0150-6740 SM01-37Sx60-XP-R-100_BE20_MS04__SSCP
Cable guide	Available: Not chosen	
Pillar system	Chosen: PP13_MT12	



A	Document created	07.05.2025	JB	DG
Rev.	Change	Date	Author	Appr.

General tolerance DIN ISO 2768 - mK		Created by J.-E. Beekhuis	Status 07.05.2025/jb	Material				
LinMot® NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach		0380-0018_PP13_120-37Sx120_100-37Sx60-BE20-MS02_MT12			☐ Safety Rel.	Weight (g)		
		Title, additional title PP13_120-37Sx120_ 100-37Sx60-BE20-MS02_MT12 Pick&Place / SM01-37Sx120 & SM01-37Sx60 Art.No.: 0300-1001			☐ UL-Rel.			
					Document type Datasheet			
Template type: SW2020 Version: V1-1 SW_A3_hori_Sheet_format_V1-1					Drawing number / Index 0380-0018A			
					Scale 1:3		Sheet 2 / 3	A3

The copyright to this document, which is personally entrusted to the recipient, remains with our company. Without our written permission, the document may not be copied nor reproduced nor communicated or made accessible to third parties without our written permission.



0150-4500 Z01-SF-30-SSC
Adapter dimensions



A	Document created	07.05.2025	JB	DG
Rev.	Change	Date	Author	Appr.

General tolerance DIN ISO 2768 - mK	Created by J.-E. Beekhuis	Status 07.05.2025/jb	Material	
LinMot®	0380-0018_PP13_120-37Sx120_100-37Sx60-BE20-MS02_MT12		☐ Safety Rel. ☐ UL-Rel.	Weight (g) 16973.97
NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach	Title, additional title PP13_120-37Sx120_ 100-37Sx60-BE20-MS02_MT12 Pick&Place / SM01-37Sx120 & SM01-37Sx60 Art.No.: 0300-1001		Document type Assembly drawing Drawing number / Index 0380-0018A	
Template type: SW2020 Version: V1-1 SW_A3_hori_Sheet_format_V1-1	Scale 1:2		Sheet 3 / 3	A3