


The copyright to this document, which is personally entrusted to the recipient, remains with our company. Without our written permission, the document may not be copied nor reproduced nor communicated or made accessible to third parties without our written permission.








Rev.	Change	Date	Author	Appr.
A	Document created	120.11.2025	JB	FH

General tolerance DIN ISO 2768 - mK	Created by J.-E. Beekhuis	Status 120.11.2025/jb	Material
LinMot®	File name 0380-0112_PP03__195-37x120F__100-23x80F-MS13__MT01__TC01	☐ Safety Rel. ☐ UL-Rel.	Weight (g)
NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach	Title, additional title PP03__195-37x120F__ 100-23x80F-MS13__MT01__TC01 Pick&Place / DM01-37 & DM03-23	Document type Assembly drawing	
Template type: SW2020 Version: V1-1 SW__A2__hori__Sheet__format__V1-1	Art.No.: 0300-0014	Drawing number / Index 0380-0112A	
		Scale 1:2	Sheet 1 / 3 — A2

The copyright to this document, which is personally entrusted to the recipient, remains with our company. Without our written permission, the document may not be copied nor reproduced nor communicated or made accessible to third parties without our written permission.




Stage type	PP03__195-37x120F__100-23x80F-MS13__PS01__TC01	
Motor type	Horizontal: 0150-4014 DM01-37x120F-HP-R-195	Vertical: 0150-6026 DM03-23x80H-XP-R-100__CS10__MS13
Stroke	195	100
Max. Force@48VDC [N]	255	137
Max. Force@72VDC [N]	255	137
Position resolution [mm]	0.005	0.002
Repeatability [mm]	±0.05	±0.05
Max. acceleration [m/s2]	< 50	< 50
Max. Velocity@48VDC [m/s]	2.5	4.9
Max. Velocity@72VDC [m/s]	3.8	7.3
Deviation	see datasheet	see datasheet
Moving mass [kg]	2.200	0.730
Module mass [kg]	4.180	1.620
Pillar mass [kg]	3.200	
Cable weight [kg/km]	83.0	
Cable tube weight [kg/m]	0.084	
Max. payload	see datasheet	see datasheet
Grease type - Motor	0150-1954 / 0150-1955 LU02	
Grease type - Bearings	0260-0061 SKF LGFP 2	
Grease type - MagSpring	0150-1954 / 0150-1955 LU02	

Accessories		
Stage type	PP03__195-37x120F__100-23x80F-MS13__PS01__TC01	
Motor type	Horizontal: 0150-4014 DM01-37x120F-HP-R-195	Vertical: 0150-6026 DM03-23x80H-XP-R-100__CS10__MS13
Safety	Available: not chosen	Not available
Clean room	Available: not chosen	Not available
External sensor	Available: not chosen	Not available
Cover	Not available	Not available
Cable guide	Chosen: 0150-6704 PP03__TC01	
Pillar system	Chosen: 0150-6831 PP03__MT02	
Force sensor	Available: not chosen	Available: not chosen
Fan Kit	Available: not chosen	Not available


Rev.	Change	Date	Author	Appr.
A	Document created	20.11.2025	JB	FH


General tolerance DIN ISO 2768 - mK	Created by J.-E. Beekhuis	Status 20.11.2025/jb	Material
LinMot®	0380-0112__PP03__195-37x120F__100-23x80F-MS13__MT01__TC01	☐ Safety Rel. ☐ UL-Rel.	Weight (g)
NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach	Title, additional title PP03__195-37x120F__ 100-23x80F-MS13__PS01__TC01 Pick&Place / DM01-37 & DM03-23 Art.No.: 0300-0014	Document type Assembly drawing Drawing number / Index 0380-0112A	
Template type: SW2020 Version: V1-1 SW__A3__hori__Sheet__format__V1-1		Scale 1:3	Sheet 2 / 3 — A3


TC01: 1m cable tube
45mm minimum bending radius, static




4x ⌀5.5
elongated holes









Rev.	Change	Date	Author	Appr.
A	Document created	20.11.2025	JB	FH

General tolerance DIN ISO 2768 - mK	Created by J.-E. Beekhuis	Status 20.11.2025/jb	Material
LinMot®	File name 0380-0112_PP03_195-37x120F_100-23x80F-MS13_MT01_TC01	☐ Safety Rel. ☐ UL-Rel.	Weight (g)
NTI AG LinMot & MagSpring Bodenaeckerstrasse 2 CH-8957 Spreitenbach	Title, additional title PP03_195-37x120F_ 100-23x80F-MS13_PS01_TC01 Pick&Place / DM01-37 & DM03-23 Art.No.: 0300-0014	Document type Assembly drawing Drawing number / Index 0380-0112A	
Template type: SW2020 Version: V1-1 SW_A2_hori_Sheet_format_V1-1		Scale 3:5	Sheet 3 / 3 A2

The copyright to this document, which is personally entrusted to the recipient, remains with our company. Without our written permission, the document may not be copied nor reproduced nor communicated or made accessible to third parties without our written permission.